## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problems Mailbox.



👺 Dynamic Search: Degreet World Patents Index (for users in Japan)

圖 Records for: *FR 2625954* 

EPILO BULLING SEASING

Output @

Full Record

Output as: Browser

refine search

display/send

Modity @

atti none

Records of In full Format

□<sub>1.</sub>6/19/1

007949628

\*\*Image available\*\*

WPI Acc No: 89-214740/198930

XRPX Acc Not N89-163634

Urban passenger transport system with automatic battery

recharge - enables authorised card holder to hire and drive vehicle between two recharging stations where identity is recognised

Patent Assimnee: PARIENTI R (PARI-I)

Inventor: PARIENTI R

Number of Countries: 009 Number of Patents: 005

Patent Family:

Applicat No Kind Date Main IPC Week Patent No Kind Date 198930 B 19890726 EP 89480006 A 19890113 EP 325550 198936 FR 2625954 19890721

B1 19951025 EP 89480006 A 19890113 B60L-011/18 199547 EP 325550 DE 68924607

E 19951130 DE 624607 A 19890113 B60L-011/18 199602

EP 89480006 A 19890113

ES 2080756 T3 19960216 EP 89480006 A 19890113 B60L-011/18

Priority Applications (No Type Date): FR 88816 A 19880118

Cited Paterts: 1. Jnl. Ref; DE 8611058; FR 2548808: GB 2178211; JP 60106302: US 4181188

Patent Details:

Kind Lan Pg Filing Notes Application Patent Patent

EP 325550 A F

Designated States (Regional): BE CH DE ES FR GB IT LI NL

EP 325550 B1 F

1/

Designated States (Regional): BE CH DE ES FR GB IT LI NL DE 6892460 E EP 325550 Based on

ES 2080756 T3 Based on EP 325550

Abstract (Basic): EP 325550 A

The system uti lises a captive fleet of two-seater vehicles (1) driven by DC motors supplied from rechargeable batteries. These can be recharged at specific locations (2) through conductive arms (3) or inductive loops deployed below the vehicle, while an underground package (11) recognises the vehicle and authorises the return of the personal PROM card to its user.

Sulth a card may be either prepaid or charged—for by periodic invoicing to the holder's registered address. It is inserted into a reader on the outside of the vehicle for validation before a hire is author sed on entry of the confidential code via a keyboard. A temporary halt key enables the hirer to lock the doors or opening roof when a ighting for short periods.

Abstract (Equivalent): EP 325550 B

An automatically recharged urban transport system comprising, in combination several automobiles (1), each comprising an electric motor and a pattery of accumulators, at least one parking place (2) comprising means of recharging the said batteries of accumulators, and several programmable read only memory cards (10); each vehicle comprising in addition a means of reception (6) of the said card and of


3/19

processing the data contained in the said memory, distinguished by the fact that each vehicle (1) has a compressed air tank filled by a reversible turbine during deceleration and braking, and means capable of only returning the said programmable read only memory card (10) to the user when the vehicle (1) arrives at the said parking place (2) allowing the accumulators to be recharged, recognition between the vehicle (1) and the space (2) being optical or electrical, by sending a coded infrared, or low current electric code, the charging current only passing after this mutual recognition between the vehicle and the specialist place.

Dwg 3/3
Title Terms: URBAN: PASSENGER: TRANSPORT; SYSTEM; AUTOMATIC; BATTERY; RECHARGE; ENABLE; AUTHORISE: CARD: HOLD: HIRE: DRIVE; VEHICLE; TWO; RECHARGE; STATION; IDENTIFY; RECOGNISE


Derwent Class: Q14; X21 International Patent Class (Additional): B60L-007/10; B60L-011/18; G07F-007/08; G07F-017/00

File Segment: EPI; EngPI Manual Codes (EPI/S-X): X21-A01; X21-B01



DERWENT WPI (Dialog® File 352): (c) 2000 Derwent Info Ltd. All rights reserved.

©1997-2000 The Dialog Corporation -







👺 Dynamic Search: De went World Patents Index (for users in Japan)

■ Records for: ## 2656450

Output ©

Format: Full Record

Output as: Browser

Modify @

SOLO DONE

Records of 1 In full Format retine search

□ 1 7/19/1

008757914 \*\*Image available\*\*

WP.I Acc No: 91-261927/199136

XRPX Acc No: N91-199829

Urban transport system - uses battery powered vehicles that must regularly stop at recharging stations where they are connected to central computer
Patent Assignee: BERNARD A (BERN-I)

Inventor: BERNARD A

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date FR 2656450 A 19910628 FR 8917238 A 19891227 Main IPC Week 199136 B

Priority Applications (No Type Date): FR 8917238 A 19891227

Abstract (Basic): FR 2656450 A

The transport system uses vehicles powered by rechargeable batteries. The system has recharging stations (SR) at intervals along the route. Each vehicle carries a computer that communicates with a central traffic management computer when the vehicle is in the charging station

The vehicle computer has a microcomputer with a card reader. keyboard and data input/output interface, monitors battery voltage and usage, and has a mileage counter. An identification code for the vehicle is built into the computer.


ADVANTAGE - Improved management of taxi fleets, with monitoring of correctness of charges asked of passengers. (17pp Dwg. No. 1/3)
Title Terms: URBAN: TRANSPORT; SYSTEM; BATTERY; POWER; VEHICLE; MUST:


REGULAR: STOP: RECHARGE; STATION; CONNECT; CENTRAL: COMPUTER

Derwent Class: T07; X21


International Patent Class (Additional): 6086-001/09

File Segment: EPI Manual Codes (EPI/S-X): TO7-A; TO7-X; X21-B01





.. . 14.



क्षा व्यास Records of 1 8/19/

009730694

\*\*Image available\*\* WPI Ace No: 94-010544/199402 XRPX Adc No: N94-008454

Transport network for goods or people in cities - uses remote communications to control, guide and direct fleet of vehicles when requested to do so by customers

Patent Assignee: INRIA INST NAT RECH & INFORMATIQUE (INRI-N)

Inventor: PARENT M

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Main IPC Week FR 2692064 A1 19931210 FR 926883 A 19920605 G08G-001/00 199402 B

Priority Applications (No Type Date): FR 926883 A 19920605

Patent Details:

Patent Kind Lan Pg Filing Notes Application Patent

FR 2692064 A1 31

Abstract (Basic): FR 2692064 A

The system consists of a fleet of autonomous vehicles (V) for transporting goods or people on the road network. Each vehicle is equipped with a propulsion device, a localisation device and a communication device. The localisation device (MLOC) provides continuous information (ILOC) relating to the vehicle's position within a predetermined zone.

The communication device (MCOM) is associated with the latter and also provides information to control relating to the load, numbers of objects or people being carried. The system also includes a nunications centre (CC) which communicates with the vehicles. It will also select a vehicle when it receives a request (REQ) from a user and direct the vehicle to proceed to a desired location. ADVANTAGE - Provides alternative to private and goods vehicles in

cities avoiding such problems as finding place to park or load/unload. Dwg. 2/5


Title Terms: TRANSPORT: NETWORK; GOODS: PEOPLE; CITY; REMOTE; COMMUNICATE: CONTROL; GUIDE: DIRECT; FLEET; VEHICLE; REQUEST; SO: GUSTOMER


Derwent Class: T05; T07; X22


International Patent Class (Main): G08G-001/00


File Segment: EPI

Manual Codes (EPI/S-X): T05-G01: T07-A05; X22-P05; X22-X














FIG.4





🏂 Dynamic Search: Dewent World Patents Index (for users in Japan)

圖 Records for: *内 2712715* 

The state of the s

Output @

Full Record

Output as: Browser

refine search

display/send

back to picklist

Modity @

all none

Records of In full Format

□<sub>1.</sub> 9/19/1

010279635

\*\*Image available\*\*

WP1 Acc No: 95-180893/199524 XRPX Acc No: N95-142009

Monitoring system for controlling use of rental cars -

includes car park with numbered spaces in which parked vehicles exchange information with central monitoring computer to check status of brakes

and contiol operation of central locking

Patent Assignee: CGA-HBS CIE GEN AUTOMATISME SA (CGDA )

Inventor: LAURENS B; NAEL A

Number of Countries: 008 Number of Patents: 002

Patent Family:

Patent No Kind Date Applicat No Kind Date Main IPC Week EP 653732 A1 19950517 EP 94402568 A 19941114 G07F-007/00 \ 199524 B FR 2712715 A1 19950524 FR 9313570 A 19931115 G08G-001/14

Priority Applications (No Type Date): FR 9313570 A 19931115

Cited Patents: EP 433740; EP 451482; FR 2662285 Patent Details:

Patent Kind Lan Pg Filing Notes EP 653732 A1 F 8

Application Patent

Designated States (Regional): BE CH DE ES FR GB IT LI

Abstract (Basic): EP 653732 A

The system for controlling a number of cars offered for rental includes a car park (C) with a given number of identifiable parking spaces (C1 . C20). Each vehicle includes a device transmitting information relating to the status of certain parts, and a locking system capable of operation by a control signal supplied externally. Information transmitted may include the status of brakes and lights

A dentral management unit (A) is provided for controlling invoicing and rental. The system also includes a beacon for exchanging information with the units mounted in the vehicles, and with units carried by customers giving their identification.

ADVANTAGE - Reduces number of parked cars.

Dwg 1/4
Title Terms: MONITOR; SYSTEM; CONTROL; RENT; CAR; CAR; PARK; NUMBER; SPACE; PARK; VEHICLE; EXCHANGE; INFORMATION; CENTRAL; MONITOR; COMPUTER; CHECK;

STATUS; ERAKE; CONTROL; OPERATE; CENTRAL; LOCK


Derwent Class: TO5; X22

International Patent Class (Main): GO7F-007/00; GO8G-001/14

International Patent Class (Additional): GO6F-019/00: GO6F-163-00

File Segment: EPI

Manual Codes (EPI/S-X): T05-G01; T05-H05C; X22-X



10/19/1  $\square_{1.}$ 

> 010948450 \*\*Image available\*\* WPI Acd No: 96-445400/199645 XRPX Adc No: N96-375064

Management system for electric vehicles available for hire includes remote control system linking vehicles, customer remote control and central management centre to regulate use of vehicles once charged up

Patent Assignee: AUTOMOBILES CITROEN SA (CITR ); AUTOMOBILES PEUGEOT (CITR

Inventor: BERTRAND B P; CHERY F; MARET J C Number of Countries: 001 Number of Patents: 001 Patent Family: Patent No Kind Date Applicat No Kind Date

Week Main IPC FR 2732144 A1 19960927 FR 953508 A 19950324 G08G-001/04 199645 B Priority Applications (No Type Date): FR 953508 A 19950324 Patent Details:

Patent | Kind Lan Pg Filing Notes FR 2732144 A1 17 Application Patent

Abstract (Basic): FR 2732144 A

The management system for use in an electric vehicle park includes a box (1) with a keypad (2) and display (3) used by a customer in order to communicate with a central management station. The customer uses this box in order to claim or reserve a particular vehicle (5).

Each vehicle includes a control circuit (6) which is in communication with the central control, and also in communication with the box carried by the customer. An exterior light (16) on the vehicle indicates whether or not it is available to hire, and a secret code transmitted between the units either locks or unlocks the vehicle doors to control access. The code also allows the vehicle to be started, this having previously been inhibited.

ADVANTAGE - ADVANTAGE - Simplifies management of parking lot where electric vehicles are charged and then hired out, with central station authorising use of any particular vehicle. Dwg. 1/2

Title Terms: MANAGEMENT; SYSTEM; ELECTRIC; VEHICLE; AVAILABLE: HIRE: REMOTE ; CONTROL; SYSTEM: LINK: VEHICLE: CUSTOMER; REMOTE; CONTROL; CENTRAL;

MANAGEMENT; CENTRE; REGULATE; VEHICLE; CHARGE; UP


Derwent Class: Q14; Q17; Q47; W05; X16; X21 International Patent Class (Main): G08G-001/04

International Patent Class (Additional): B60L-011/18: B60R-025/10:

E05B-047/00; E05B-065/12; H02J-007/00; H02J-017/00

File Solgment: EPI; EngPl

Manual Codes (EPI/S-X): W05-D04A1; W05-D05B; W05-D07D; X16-G; X21-A01; X21-**B**01





👺 Dynamic Search: Delvent World Patents Index (for users in Japan)

■ Records for: DE 4024186

PARTITION OF THE REAL PROPERTY.

Output @ Modity 🚱 Full Record

Output as: Browser

display/send

back to picklist

ealle mane

Records

1 In full Format of

11/19/1 

008922699

WPI Acc No: 92-049968/199207 XRPX Ac: No: N92-038172

Clear city centre transport system for traffic abatement -

offers low cost communal energy-conserving cars at pick-up points and

parkiing areas

Patent Assignee: SCHERF J (SCHE-I)

Inventor: SCHERF J Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date DE 4024186 A 19920208 DE 4024186 A 19900730

199207 B

Priority Applications (No Type Date): DE 4024186 A 19900730 Abstract (Basic): DE 4024186 A

A so-called clean city car transport system is for use within a city or town boundaries and is of a compact, energy conserving design. The cars are made available to all individuals in possession of a chip card. The card has the format of a telephone charge card and provides access to an account. The cost is about a fifth of normal taxi fare.

The vehicles contain communication links and taximeters for logging the mileage and are coupled to a central controller. Special king areas are provided. The cars envisaged are low emission petrol or diesel powered and ideally electro-cars.

ADVANTAGE - Conserves resources. Protects earths atmosphere.

Better city life. (5pp)

Title Terms: CLEAN; CITY: CENTRE: TRANSPORT; SYSTEM; TRAFFIC; ABATE; OFFER:

LOW: DOST; COMMUNAL; ENERGY; CONSERVE; CAR: PICK-UP; POINT; PARK; AREA

Derwent Class: T05; X22


International Patent Class (Additional): G070-005/00 File Segment: EPI

Manual Codes (EPI/S-X); T05-H02C5C; T05-H05; X22-X

DERWENT WPI (Dialog® File 352); (c) 2000 Derwent Info Ltd. All rights reserved.

No Figure.

©1997-2000 The Dialog Corporation -



12/19/1  $\square_{1,1}$ 

009795343

WPI Ace No: 94-075196/199410

XRPX Adc No: N94-058720

Passenger vehicle utilisation system for urban

transportation - verifies authority of each vehicle user, with onboard

navigation device linked to central vehicle control

Patent Assignee: DEUT AEROSPACE AG (DAIM )

Inventor: LEMKE U: ROEDIGER M

Number of Countries: 001 Number of Patents: 002

Patent Family: Patent No Kind Date Applicat No Kind Date Main IPC DE 4227969 A1 19940303 DE 4227969 A 19920822 G08G-001/127 199410 B DE 4221969 C2 19941013 DE 4227969 A 19920822 G08G-001/127 199439

Priority Applications (No Type Date): DE 4227969 A 19920822

Patent Details:

Patent | Kind Lan Pg Filing Notes DE 422,969 A1 3 Application Patent

DE 4227969 C2 Abstract (Basic): DE 4227969 A

The vehicle utilisation system allows a number of persons individual use of a vehicle within a defined urban area. The vehicle has an environmentally friendly drive system, e.g. an electric drive, with a control and monitoring device verifying the authority of each user and an onboard navigation system providing information for the

senger and a central vehicle control.

The location of the vehicle is monitored from the control, with communication between the latter and the vehicle for interrogation of the control and monitoring device which pref. uses a code system employing identity cards, or code transmitters.

USE - For providing individual use of urban transport vehicles within defined area for authorised users.

Dwg. 0/0

Abstract (Equivalent): DE 4227969 C

A passenger motor vehicle is equipped with an electronic control, monfitoring and navigation unit and connected to a central station by radio which provides information about the position of the vehicle and its technical condition. A number of similar vehicles are prepared for a certain area of a town, and each person living in the area is granted usage rights involving a code system and this is registered in the central station.

Each person desiring to use a vehicle is checked by the control and monitoring unit and allowed its use of his status is validated. Each journey is registered and taken into account.

USE/ADVANTAGE - For public service vehicles. Leads to more

efficient public transport system. Dwg. 0/0

Title Terms: PASSENGER; VEHICLE: UTILISE; SYSTEM; URBAN; TRANSPORT;

VERIF CATION; AUTHORISE; VEHICLE; USER; NAVIGATION; DEVICE; LINK; CENTRAL

: VEHICLE: CONTROL

Derwent Class: Q17; S02; T05; T07; W08; X22

1/2

International Patent Class (Main): G08G-001/127 International Patent Class (Additional): B60R-025/10; G08B-013/00; G08B-025/10: G08B-029/00; G08G-001/0968 File Segment: EPI: EngPI Manual Godes (EPI/S-X): S02-B08: T05-G01; T07-A05; W06-A08: X22-E06; X22-P05

DERWENT WPI (Dialog® File 352): (c) 2000 Derwent Info Ltd. All rights reserved.

No Figure

©1997-2000 The Dialog Corporation -



🕏 Dynamic Scarch: Dirwent World Patents Index (for users in Japan)

ACCUPANT OF THE SE

Output @

Full Record

Output as: Browser

Modify @

alle porce

refine

back to picklist

Records of In full Format

□ 1. 13/19/1

009967910 \*\* mage available\*\* WPI Acc No. 94-235622/199429

XRPX Acc No: N94-186332

Microprocessor based access control system for use with road vehicles - has bidirectional transfer of data via mobile phone link to reserve vehicle with control of access based upon identification card and entered number

Patent Assignee: LATSCH U (LATS-I)

Inventor: LATSCH U

Number of Countries: 001 Number of Patents: 002

Patent Family:

Patent No Kind Date Applicat No DE 4301039 A1 19940721 DE 4301039 Applicat No Kind Date Main IPC A 19930116 G06F-015/22 199429 B DE 4301039 C2 19950614 DE 4301039 19930116 GD6F-017/60 A 199528

Priority Applications (No Type Date): DE 4301039 A 19930116

Patent Details:

Patent Kind Lan Pg Filing Notes Application Patent

DE 4301039 A1 DE 4301039 C2 DE 4301039

Abstract (Basic): DE 4301039 A

wehicle may be reserved by telephoning a central station (1) that has a management computer (2). Communication may be made via a telephone network to a fixed station having a radio telephone (7). The vehicle (8) has a microprocessor (20) to which is coupled a mobile telephone (12). Other inputs are provided by the vehicle tachometer (16), dard reader (15), keyboard (19) and infrared interface (17). Access to the vehicle requires that a user chip card (23) is entered into the infrared hand-held unit (22). An identification number has to be entered through the keyboard.

US#/ADVANTAGE - Cost effective and manipulation protected car access system.

Dwg. 1/3
Abstract (Equivalent): DE 4301039 C

The equipment includes units for transmitting bi-directionally data and speech, concerning reservations and journeys, between a central station or a vehicle by radio telephone methods. The mobile part of the ratio telephone (12) installed in the vehicle includes a modem (13) and a processor-controlled selector (14) and a relay switch, while at the central station there is a commercial modem (3).


There is a cryptographically protected access control through

bi-directional infrared communication between a multi-functional microprocessor chip card (23) in the infrared hand unit (22) and an infrared interface (17) in the vehicle system. This opens the central locking (10) of the vehicle when authentication is complete. Other features are also explained.

USB/ADVANTAGE - Suitable for communally used motor vehicles or in car sharing'. Able to manage economically and effectively communal vehicle

Dwg 1/3

Title Terms: MICROPROCESSOR; BASED; ACCESS; CONTROL; SYSTEM; ROAD; VEHICLE;



19/19

